



City of Tuttle

Community Development

PO BOX 10 • 221 W MAIN ST • TUTTLE, OK 73089 • (405) 381-3872 • FAX (405) 381-3852 • WWW.CITYOFTUTTLE.COM

Roofing Contractor Information Sheet

Contractors Registration:

- Every roofing contractor will need to be registered with the Community Development Department.
- Every roofing contractor will provide:
 - Drivers license
 - CIB card
 - Insurance with City of Tuttle and CIB as holders

Permits Required:

- Roofing Permit

Inspections

- Decking replacement
 - IF the decking is being replaced it must be inspected BEFORE covering
 - PLEASE CALL INSPECTIONS TWO FULL BUSINESS DAYS BEFORE NEEDED
 - SAME DAY INSPECTIONS ARE NOT GUARANTEED

Summary of City Code

- Roof sheathing (OSB or plywood) shall be fastened with 8d ring shank (0.131" by 2.5") or 10d (0.148" by 3") nails on four-inch on center along the edges and six-inch on center in the field. Dimensional lumber decking is allowed along as it meets S4S #3 Common or better
- Maximum spacing for roof framing shall be 24 inches on center.
- Minimum nominal sheathing panel size shall be 5/8 inch.
- Roofing products must be rated to withstand winds of at least 110 miles per hour under normal installation methods except for the starter shingle and ridge cap.